AUTHOR INDEX, VOLUME 11

Ajroldi, G.: see Pezzin, G.
Arai, K.: see Negishi, M.
Araki, Y.: Transitions of polytetrafluoroethylene at about 90 and 130°C. studied by x-ray diffraction and infrared spectra, 953
Arnheim, W.: see Galperin, I.
Arthur, J. C., Jr.,: see Baugh, P. J.
——, Stanonis, D. J., Mares, T., and Hinojosa, O.: Effect of aromatic groups on localization of high energy in cellulose, 1129
Asay, J. R., and Guenther, A. H.: Experimental determination of ultrasonic wave velocities in plastics as functions of temperature. IV. Shear velocities in common plastics, 1087
Balcerzyk, E., Pstrocki, H., and Wlodarski, G.: Morphology of polymer of ethylene sulfide and its block copolymer with styrene, 1179
Barlow, A., and Campbell, R. C.: Nitric acid digestion and crystallinity of ethylene–vinyl acetate copolymers, 2001
Barrett, K. E. J.: Determination of rates of thermal decomposition of polymerization initiators with a differential scanning calorimeter, 1617
Bartoň, J., and Rak, J.: Investigation of conditions of spherulite formation in mixtures of crystalline and amorphous polymers, 499
Battista, O. A., Erdi, N. Z., Ferraro, C. F., and Karasinski, F. J.: Colloidal macromolecular phenomena. Part II. Novel microcrystals of polymers, 481
Baugh, P. J., Hinojosa, O., and Arthur, J. C., Jr.: ESR study of post-irradiation reactions of cellulose and acrylonitrile, 1139
Baumbach, D. O.: Kinetic analysis of the autohesion of raw SBR samples, 1755
Beck, H. N.: Heterogeneous nucleating agents for polypropylene crystallization, 673
Bell, C. L. M., and Cunneen, J. I.: Oxidative aging of natural rubber vulcanizates. Part II. Effect of vulcanizate structure, 2201
——, and Tiller, R.: Oxidative aging of natural rubber vulcanizates. Part I. The scission of peroxide vulcanizates, 1289
Benerito, R. R.: see McKelvey, J. B.
——: see Soignet, D. M.
Bilow, N., Murphy, R. F., and Patterson, W. J.: Synthesis and polymerization of tris(alkylamino)silanes with epoxy prepolymers, 2109
Binsbergen, F. L., and van Duijn, J.: Transparency measurement of plastic sheet and film, 1915
Blyler, L. L., Jr., and Kurtz, S. J.: Analysis of the Maxwell orthogonal rheometer, 127
Bobinski, J., and Carignan, Y. P.: Study of the nitration of methyl cellulose, 727
Bond, R. H.: see Hannah, R. E.
——, and Hannah, R. E.: Selection of proper mounting media for examining heterogeneous copolymers with the phase microscope, 2037
Boonstra, B. B.: Mixing of carbon black and polymer: Interaction and reinforcement, 389
Boukal, I.: Effect of water on the mechanism of deformation of nylon 6, 1483
Boy, R. E., Jr., Schulken, R. M., Jr., and Tamblyn, J. W.: Crystallinity in secondary cellulose esters, 2453
Boyle, D. J.: see Kelleher, P. G.
Brandt, H.: see Parker, P. H., Jr.
Breslow, D. S., Christman, D. L., Espy, H. H., and Lukach, C. A.: Alkylaluminum–Lewis base complexes as initiators of vinyl polymerization, 73
Bristow, G. M., and Porter, M.: Structural characterization of vulcanizates. Part V. Determination of degree of chemical crosslinking of natural rubber gum vulcanizate networks, 2215
Brooks, M. L.: see Prevorsek, D. C.

Brown, W.: Solution properties of lignin. Thermodynamic properties and molecular weight determinations, 2381
Burr, R. C.: see Fanta, G. F.
Butta, E.: see Frosini, V.
Calamia, M.: see Frosini, V.
Caldwell, J. R.: see Jackson, W. J., Jr.
Campbell, R. C.: see Barlow, A.
Cantow, M. J. R.: see Porter, R. S.
——, and Johnson, J. F.: The use of porous glass as a column packing for gel permeation chromatography, 1851
Carignan, Y. P.: see Bobinski, J.
Carlin, J.: see Sherr, A. E.
Carnell, P. H., and McGunegle, D. E.: Membrane potentials of thin nitrocellulose membranes, 829
Cerny, L. C., Graham, R. C., and James, H., Jr.: Dilute solution properties of hydroxyethyl starch, 1941
Cakravarty, S. N., and Sircar, A. K.: Structural characterization of natural and vulcanized rubber by ozonolysis, 37
Chatterjee, P. K., and Conrad, C. M.: Kinetics of heterogeneous cellulose reactions. II. Reaction with propionyl chloride, 1387
Childers, C. W.: see Kraus, G.
Christman, D. L.: see Breslow, D. S.
Combs, R. L.: see Coover, H. W., Jr.
——, Slonaker, D. F., and Coover, H. W., Jr.: Derivation and correction of polyethylene melt strength equation, 747
Conrad, C. M.: see Chatterjee, P. K.
——: see Sircar, A. K.
——: see Stanonis, D. J.
Cooper, S. L., and Tobolsky, A. V.: Anomalous depression of rubbery modulus through crosslinking, 1361
Coover, H. W., Jr.: see Combs, R. L.
——, Combs, R. L., Guillet, J. E., and Weemes, D. A.: Polyolefin waxes, 1271
Corciovei, M. G.: see Solomon, O. F.
Cotton, O.: see Rosenbaum, S.
Cumberbirch, R. J. E., and Jeffries, R.: Infrared–deuteration study of regenerated cellulose fibers, 2083
Cunneen, J. I.: see Bell, C. L. M.
Cuthrell, R. E.: Environment-influenced surface layer in polymers, 1495
——: Macrostructure and environment-influenced surface layer in epoxy polymers, 949
Dekking, H. G. G.: Progagation of vinyl polymers on clay surfaces. II. Polymerization of monomers initiated by free radicals attached to clay, 23
Delman, A. D., Stein, A. A., Kelly, J. J., and Simms, B. B.: Thermal behavior of dimethyl-*m*-carboranyl–dimethylsiloxane copolymers, 1979
Delollis, N. J., and Montoya, O.: Mode of failure in structural adhesive bonds, 983
Dilli, S., and Garnett, J. L.: Radiation-induced reactions with cellulose. II. The Trommsdorff effect: Dose and dose rate studies involving copolymerization with monomers in methanol, 839
——, and——: Radiation-induced reactions with cellulose. III. Kinetics of styrene copolymerization in methanol, 859
Dine-Hart, R. A., and Wright, W. W.: Preparation and fabrication of aromatic polyimides, 609
Donaruma, L. G.: see Scelia, R. P.
Douglas, D. G. Jr.,: see Vandegaer, J. E.
van Duijn, J.: see Binsbergen, F. L.
Eckhoff, R. K.: Size analysis of polymer latex powder. Comparison of results obtained by means of the I.C.I.–Joyce, Loebl disk centrifuge, the Coulter counter, and the electron microscope, 1855
Ehrenburg, E. G.: see Shlyakhter, R. A.
Eldridge, J. E.: Effect of the thermal history of polymers on their dynamic mechanical properties, 1199
Elliott, D. J., and Moore, C. G.: Structural characterization of vulcanizates. Part IX. Comparison of the vulcanization of natural rubber and *cis-trans*-isomerized natural rubber with sulfenamide-accelerated sulfur and dicumyl peroxide vulcanization systems, 2285
Erdi, N. Z.: see Battista, O. A.
Erickson, D. E.: see Iyengar, Y.
Espy, H. H.: see Breslow, D. S.
Evans, J. M., Huglin, M. B., and Lindley, J.: Programmed polymer light-scattering data, 2159

Fanta, G. F., Burr, R. C., Russell, C. R., and Rist, C. E.: Graft copolymers of starch. III. Copolymerization of gelatinized wheat starch with acrylonitrile. Influence of chain modifiers on copolymer composition, 457
Feist, W. C., Southerland, C. F., and Tarkow, H.: Detecting low molecular weight homologs in poly(ethylene glycols) by gel permeation chromatography, 149
Ferraro, C. F.: see Battista, O. A.
Fok, S. Y., and Griskey, R. C.: Mass transfer during dry spinning of fibers, 2417
Foltz, C. R.: see McKinney, P. V.
Ford, R. W., and Scott, R. A.: Influence of thermal history of fusion curves of polyethylene, 2325
Fox, B. B., and Price, T. R.: Photodegradation of poly(methyl methacrylate) in solution and the effect of added solutes, 2373
Frick, J. C., Jr.: see Pierce, A. G., Jr.
Frosini, V., Butta, E., and Calamia, M.: Dielectric behavior of some polar high polymers at ultra-high frequencies (microwaves), 527
Galperin, I.: Dynamic mechanical properties of a TiO_2-filled crosslinked epoxy resin from 20–90°C., 1475
——, and Arnheim, W.: The effect of humidity on the tensile properties of TiO_2-filled poly(vinyl acetate), 1259
Garbuglio, C.: see Pezzin, G.
Gardner, D. C., and Toosi, M. T. A.: Radiation-induced changes in the index of refraction, density, and dielectric constant of poly(methyl methacrylate), 1065
Garnett, J. L.: see Dilli, S.
Gaulin, C. A.: see Schmidt, G. A.
Gesner, B. D.: Phase separation of some clear polyblends, 2499
——: see Kelleher, P. G.
Ghatge, N. D., and Phadke, V. B.: Elastomers from castor oil, 629
Ghosh, P., and Sengupta, P. K.: Graft copolymerization of methyl methacrylate and natural rubber, 1603
Golden, J. H., Hammant, B. L., and Hazell, E. A.: The effect of thermal pretreatment on the strength of polycarbonate, 1571
Goto, Y.: see Shiota, T.
Graham, R. C.: see Cerny, L. C.
Graham, R. K., Moore, J. E., and Powell, J. A.: Preparation and properties of polymers of secondary alkyl crotonates and related monomers, 1797
Grellier, M. R.: Étude de l'étirage à froid des fibres de polymères synthétiques dans les agents organiques, 871
Griskey, R. G.: see Fok, S. Y.
——: see Whitaker, H. L.
Gruver, J. T.: see Kraus, G.
Guenther, A. H.: see Asay, J. R.
Guillet, J. E.: see Coover, H. W., Jr.
Haas, D. W., Hrutfiord, B. F., and Sarkanen, K. V.: Kinetic study on the alkaline degradation of cotton hydrocellulose, 587
Hammant, B. L.: see Golden, J. H.
Hannah, R. E.: see Bond, R. H.
——, and Bond, R. H.: Simple microtome for sectioning cellular foam, 921
Hansen, R. H.: see Schonhorn, H.
Harbrink, P.: see Stanonis, D. J.
Harmon, D. J.: Practical applications of GPC of interest to the polymer chemist, 1333
Harwood, J. A. C.: see Schallamach, A.
——, and Payne, A. R.: Stress softening in natural rubber vulcanizates. Part V. The anomalous tensile behavior of natural rubber, 1825
Hayahara, T., and Takao, S.: Elastic behavior of concentrated solutions of acrylonitrile copolymers, 735
Hayashi, K.: see Kaetsu, I.
——,: see Nishi, M.
——: see Shiota, T.
Hazell, E. A.: see Golden, J. H.
Helin, A. F.: see Stryker, H. K.
Henderson, J. F., and Hulme, J. M.: Fractionation of polymers on a preparative scale by precipitation chromatography, 2349
Hendrickson, J. C.: Basic gel-permeation chromatography studies. I. Polymer degradation, 1419
Henson, J. H. L., Lovett, A. J., and Learmonth, G. S.: Use of the Farol-Weissenberg rheogoniometer to follow the early stages of cure of a polyester resin, 2543
Hetherington, N. W.: see Lepper, J. K.

Hill, O. H., and Lightfoot, R. P.: Effect of environmental hydrogen pressure on the hydrogen yield from x-irradiated polyethylenes, 515
Hilyard, N. C.: A microscopic study of fracture in regenerated cellulose film, 1315
Hinojosa, O.: see Arthur, J. C., Jr.
——: see Baugh, P. J.
Hirsch, S. S., and Lilyquist, M. R.: Thermal stability of model compounds related to thermostable polymers by pyrolysis-gas chromatography, 305
Hoftyzer, P. J.: see van Krevelen, D. W.
Homma, K.: see Okajima, S.
Horie, K., Mita, I., and Kambe, H.: Copolymerization of unsaturated polyester with styrene in inverted emulsion, 57
Hosoi, K.: see Muroi, S.
Hrutfiord, B. F.: see Haas, D. W.
Huglin, M. B.: see Evans, J. M.
Hulme, J. M.: see Henderson, J. F.
Hybart, F. J., and Platt, J. D.: The melting of 66 nylon: Observations by differential thermal analysis, 1449
Imai, T.: Infrared study of the cure of unsaturated polyester, 1055
——: Viscoelastic investigation on the cure of unsaturated polyester coatings, 575
Imai, Y., and Iwakura, Y.: Graft copolymerization onto protein by the ceric ion method. Studies on grafting site, 1529
Imrišová, D., and Maryška, S.: Study of radiation-induced graft polymerization of vinyl monomers to cellulose by infrared spectroscopy. I. Cellulose–polyacrylonitrile copolymers, 901
Ishai, O.: Delayed yielding of epoxy resin. II. Behavior under constant stress, 1863.
——: Delayed yielding of epoxy resin under tension, compression, and flexure. I. Behavior under constant strain rate, 963
——: see Steg, I.
Ishikawa, T.: see Muroi, S.
Iwakura, Y.: see Imai, Y.
Iyengar, Y., and Erickson, D. E.: Role of adhesive–substrate compatibility in adhesion, 2311
Jackson, W. J., Jr., and Caldwell, J. R.: Antiplasticization. II. Characteristics of antiplasticizers, 211
——, and ——: Antiplasticization. III. Characteristics and properties of antiplasticizable polymers, 227
James, H., Jr.: see Cerny, L. C.
Jassie, L. B.: see Kelleher, P. G.
Jeffries, R.: see Cumberbirch, R. J. E.
Jenkins, R. K.: Some mechanical properties of an epoxy resin system cured with multiple crosslinking agents, 171
Johnson, J. F.: see Cantow, M. J. R.
——: see Porter, R. S.
Kaetsu, I., Hayashi, K., and Okamura, S.: Radiation-induced solid-state polymerization in binary systems. V. Polymerization in binary systems containing long chain compounds, 1101
Kai, A.: see Okajima, S.
Kakiuchi, H.: see Tanaka, Y.
Kambe, H.: see Horie, K.
Karasinski, F. J.: see Battista, O. A.
Kasahara, T.: see Wada, Y.
Kase, S., and Matsuo, T.: Studies on melt spinning. II. Steady-state and transient solutions of fundamental equations compared with experimental results, 251
Katovíc, Z.: Curing of resole-type phenol–formaldehyde resin, 85
——: Kinetics of the formation of dibenzyl ether linkage during curing of resole-type phenol–formaldehyde resin by DTA and infrared spectroscopy, 95
Keenan, M. A., and Smith, D. A.: Further aspects of the thermal degradation of epoxide Resins, 1009
Kelleher, P. G., Boyle, D. J., and Gesner, B. D.: Environmental stability of ABS plastics, 1731
——, Jassie, L. B., and Gesner, B. D.: Thermal oxidation and photo-oxidation of poly(2,6-dimethyl-1,4-phenylene oxide), 137
Kelley, D. J.: see Ross, S. D.
Kelley, J. J.: see Delman, A. D.
Kennedy, G. H.: see Slabaugh, W. H.
Keskkula, H., and Traylor, P. A.: Microstructure of some rubber-reinforced polystyrenes, 2361
King, W. D.: see Sircar, A. K.
——: see Stanonis, D. J.

Kjoller, K. J.: see Trischler, F. D.
Klein, H. G.: see Sherr, A. E.
Kline, D. E.: see Scherer, A. E.
——: see Tomlinson, J. N.
Kobayashi, Y., Okajima, S., and Kosuda, H.: Change of orientation by thermal contraction of polyacrylonitrile fiber, 2525
——, ——, and Nakayama, K.: Dichroism of an ideally oriented polymer chain, 2507
——, ——, and ——: Over-dyeing phenomenon and dichroism of dyed polymer, 2533
de Körösy, F., and Zeigerson, E.: Investigation by electron microscopy and x-ray diffraction of the microstructure of permselective membranes made from polyethylene, 909
Kosuda, H.: see Kobayashi, Y.
Kraus, G., Childers, C. W., and Gruver, J. T.: Properties of random and block copolymers of butadiene and styrene. I. Dynamic properties and glassy transition temperatures, 1581
——, and Gruver, J. T.: Properties of random and block copolymers of butadiene and styrene. II. Melt flow, 2121
van Krevelen, D. W., and Hoftyzer, P. J.: Practical evaluation of the $[\eta]$–M relationship (*erratum*), 473
——, and ——: Practical evaluation of the $[\eta]$–M relationship. II. Estimation of K_Θ values of polymer solutions, 1409
—— and ——: Practical evaluation of the $[\eta]$–M relationship. III. Estimation of the exponent a, 2189
Kurihara, K.: see Okajima, S.
Kurtz, S. J.: see Blyler, L. L., Jr.
Kuryla, W. C., and Whitman, R. D.: Polyurethane elastomers from post-grafted polymer–polyol systems, 133
Lakshminarayanaiah, N.: Studies with thin membranes. III. Measurement of water permeabilities of Parlodion membranes formed by the dip technique, 1737
Lancaster, J. M., and Wright, W. W.: Thermal degradation in oxygen of polymers with aromatic rings in the chain, 1641
Lando, J. L.: Photomicrographic determination of free film swelling, 2075
Lasch, M., Rudolph, F., and Schreiner, L.: Physikalische Messungen an einem Kunststoff als optischem Medium, 369
Laszkiewicz, B.: Preparation of organo phosphorus polyurethane block copolymers, 2295
Learmonth, G. S.: see Henson, J. H. L.
Leeder, J. D., Pratt, A. J., and Watt, I. C.: Wool–polymer systems: Effect of vinyl polymers on water absorption, 1649
Lenk, R. S.: A generalized flow theory, 1033
Lepper, J. K., and Hetherington, N. W.: Load–deformation response of cellular silicone, 2070
——, and ——: Statistical description of the uniaxial creep behavior of polypropylene foam, 1775
Levi, D. W.: see McAbee, E.
Levine, H. H.: see Trischler, F. D.
Lightfoot, R. P.: see Hill, O. H.
Lilyquist, M. R.: see Hirsch, S. S.
Lindley, J.: see Evans, J. M.
Loft, B. C.: see Solomon, D. H.
Lonsdale, H. K.: see Riley, R. L.
——, Merten, U., and Tagami, M.: Phenol transport in cellulose acetate membranes, 1807
Lovett, A. J.: see Henson, J. H. L.
Lowrey, R. D.: see Schwarz, W. W.
Lukach, C. A.: see Breslow, D. S.
Lyons, C. R.: see Riley, R. L.
McAbee, E., and Levi, D. W.: Prediction of mechanical properties of polymers. Tensile strength of several thermoplastics, 2443
——, and ——: Treatment of propellant mechanical property data by reaction rate analysis, 2067
McGunegle, D. E.: see Carnell, P. H.
McKelvey, J. B.: see Soignet, D. M.
——, and Benerito, R. R.: Epichlorohydrin–triethanolamine reaction in the preparation of quaternary cellulose anion exchangers, 1693
McKinney, P. V.: Plasticizer diffusion as the rate-determining step in dry blending of poly(vinyl chloride), 193
——, and Foltz, C. R.: DTA evidence for physical orientation (crystallinity) in PVC, 1189
Magagnini, P. L.: see Pizzirani, G.

Magnusson, A. B.: Polyurethanes derived from caprolactone polyesters and diamines, 2175
Mahon, H. I.: see Rosenbaum, S.
Mahoney, J. W.: see Neville, R. G.
Mantell, G. J.: see Stryker, H. K.
Marans, N. S., and Zapas, L. J.: Molecular weight changes in irradiated polypropylene, 705
Mares, T.: see Arthur, J. C., Jr.
Martin, I.: Crosslinking of starch by alkaline roasting, 1283
Maryška, S.: see Imrišová, D.
Matsuo, T.: see Kase, S.
Merten, U.: see Lonsdale, H. K.
——: see Riley, R. L.
Middleman, S.: Effect of molecular weight distribution on viscosity of polymeric fluids, 417
Miléo, J.-C., et Nicolas, L.: Synthèse et caractérisation de copolymères cellulose–poly(méthacrylate de méthyle): Greffage par le système acide de caro–ion Fe^{3+}, 425
Miller, B.: Isothermal crystallization measurements on poly(ethylene terephthalate) by differential enthalpic analysis, 2343
Miller, C. D.: Characterization of photolyzed elastomers, 245
Mita, I.: see Horie, K.
Montoya, O.: see Delollis, N. J.
Montoyama, Y., and Uchida, K.: Preparation of *sec*-butanol-modified melamine–formaldehyde resin varnish, 1251
Moore, C. G.: see Elliott, D. J.
——, and Porter, M.: Structural characterization of vulcanizates. Part VI. The 2-mercaptobenzothiazole-accelerated natural rubber–sulfur system 2227
Moore, J. E.: see Graham, R. K.
Morrison, M. E.: Diffusion of dissolved gases in molten condensation polymers, 2587
Morsi, M. K. S., Sterling, C., and Volman, D. H.: Sorption of water vapor by B pattern starch, 1217
Munari, S., Vigo, F., Tealdo, G., and Rossi, C.: Preparation of permselective membranes by means of a radioinduced grafting. I. Cation-selective, 1563
Muroi, S., and Hosoi, K.: Separation of water-soluble polymer from emulsion by gel filtration, 2331
——, ——, and Ishikawa, T.: Alkali solubility of carboxylated polymer emulsions, 1963
Murphy, R. F.: see Bilow, N.
Myerholtz, R. W.: Oscillating flow behavior of high-density polyethylene melts, 687
Nagayama, M.: see Sasaki, H.
Nakamura, S., and Tobolsky, A. V.: Viscoelastic properties of plasticized amylose films, 1371
Nakayama, K.: see Kobayashi, Y.
Narita, A.: see Kobayashi, Y.
Nassonowa, T. P.: see Shlyakhter, R. A.
Needles, H. L.: Crosslinking of silk fibroin by aqueous peroxydisulfate, 719
Negishi, M., Arai, K., and Okada, S.: Graft copolymerization of vinyl monomers in wool fibers, 115
——, ——, and ——: Kinetics of graft copolymerization of methyl methacrylate in wool fibers, 2427
Neville, R. G., and Mahoney, J. W.: Bis[4(1-methyl-1,2-epoxyethyl)] derivates of phenyl ether, 1,4-diphenoxybenzene, and bis(4-phenoxyphenyl) ether, 2029
Newman, G. V.: see Snyder, W. H.
Newman, S.: see Toggenburger, R.
Nicolas, L.: see Miléo, J.-C.
Nishi, M., Tsukamoto, H., Hayashi, K., and Okamura, S.: Radiation-induced solid-state polymerization of vinyl compounds in binary systems, 1117
Nisizawa, M.: A modified balance-type stress relaxation apparatus for chemical relaxation under liquid phase, 1613
——: A modified capillary dilatometer for polymerization, 1627
Okada, S.: see Negishi, M.
Okajima, S.: see Kobayashi, Y.
——, and Kai, A.: Resistance of *Valonia* cellulose to mercerization, 289
——, Kurihara, K., and Homma, K.: Studies on the stretching of polypropylene film. I. Two-step biaxial stretching, 1703
Okamura, S.: see Kaetsu, I.
——: see Nishi, M.
——: see Shiota, T

Oster, G.: Optical evaluation of films by means of Moiré, 601
Overdiep, W. S.: Reply to "Comments on a proposed mechanism of the departure from steady laminar flow in molten polymers," 2591
Parker, P. H., Jr., Treadway, B. R., and Brandt, H.: Oil well sand consolidation. I. Resins for a three-step process, 1667
Patterson, W. J.: see Bilow, N.
Paul, D. R.: Reversible gelation of acrylonitrile–vinyl acetate copolymer solutions, 439
——: Reversible gelation of acrylonitrile–vinyl acetate copolymer solutions. II. Mechanical properties, 1719
Payne, A. R.: Dynamic properties of PBNA–natural rubber vulcanizates, 383
——: see Harwood, J. A. C.
Perry, E., and Savory, J.: Modification of nylon 66 with diisocyanates and diacid chlorides. I. Chemical reaction, 2473
——, and ——: Modification of nylon 66 with diisocyanates and diacid chlorides. II. Physical properties, 2485
Pezzin, G., Ajroldi, G., and Garbuglio, C.: Dynamic-mechanical study of the secondary transition of poly(vinyl chloride), 2553
——, Sanmartin, G., and Zilio-Grandi, F.: Large-scale fractionation of poly(vinyl chloride) and characterization of the fractions, 1539
Phadke, V. B.: see Ghatge, N. D.
Pierce, A. G., Jr., and Frick, J. G., Jr.: Crosslinking cotton with formaldehyde in phosphoric acid, 2577
Piskarewa, E. P.: see Shlyakhter, R. A.
Pizzirani, G. and Magagnini, P. L.: Preparation, glass transition temperature, and σ relaxation effect of poly(vinyl isonicotinate), 1173
Platt, J. D.: see Hybart, F. J.
Porter, M.: Structural characterization of vulcanizates. Part VII. The *N*-cyclohexylbenzothiazole-2-sulfenamide-accelerated natural rubber–sulfur system, 2255
——: see Bristow, G. M.
——: see Moore, C. G.
——, Skinner, T. D., and Wheelans, M. A.: Structural characterization of vulcanizates. Part VIII. The *N*-cyclohexylbenzothiazole-2-sulfenamide-accelerated sulfur vulcanization of natural rubber at 140–180°C. and of synthetic *cis*-1,4-polyisoprene at 140°C., 2271
Porter, R. S., Cantow, M. J. R., and Johnson, J. F.: Polymer degradation. V. Changes in molecular weight distributions during sonic irradiation of polyisobutene, 335
Powell, J. A.: see Graham, R. K.
Pratt, A. J.: see Leeder, J. D.
Prevorsek, D. C., and Brooks, M. L.: Fatigue under complicated load histories. Law of cumulative damage, 925
Price, T. R.: see Fox, B. B.
Pstrocki, H.: see Balcerzyk, E.
Rak, J.: see Bartoň, J.
Ray, P. K.: On the crystallite orientation in jute and mesta fibers under different moisture conditions, 2021
Refojo, M. F. Effect of temperature on the permeation of water through propylene glycol monoacrylate hydrogel, 407
——: Polyelectrolyte complexes: Permeability to water and potential uses in ophthalmology, 1991
Reich, L.: Estimation of kinetic parameters during pyrolysis from linearized DTA traces, 161
——: Estimation of kinetic parameters during Teflon degradation from linearized differential TGA traces, 699
Riley, R. L., Lonsdale, H. K., Lyons, C. R., and Merten, U.: Preparation of ultrathin reverse osmosis membranes and the attainment of theoretical salt rejection, 2143
Rist, C. E. see Fanta, G. F.
Robeson, L. M., and Smith, T. G.: The desorption of ethane–butane mixtures from polyethylene, 2007
Rodriguez, F.: see Shaw, M. T.
Rosenbaum, S., Mahon, H. I., and Cotton, O.: Permeation of water and sodium chloride through cellulose acetate, 2041
Ross, S. D., and Kelley, D. J.: Preparation of adherent films of poly-*p*-xylylenes on aluminum by electrolysis, 1209

Rudin, A.: see Schreiber, H. P.
Rudolph, F.: see Lasch, M.
Russell, C. R.: see Fanta, G. F.
Sandler, S. R.: Evaluation of polyglycidyl esters as cryogenic adhesives, 465
——: Polyisocyanurate adhesives, 811
Sanmartin, G.: see Pezzin, G.
Sarkanen, K. V.: see Haas, D. W.
Sasaki, H., and Nagayama, M.: Thermal decomposition of additive polymerization initiators. I. Azobisisobutyronitrile, 2097
Savory, J.: see Perry, E.
Scelia, R. P., Schonfeld, S. E., and Donaruma, L. G.: Some effects of cocatalyst structure on the anionic polymerization of ε-caprolactam. II, 1299
Schael, G. W.: Characterization of the structure of cellular plastics, 2131
Schallamach, A., and Harwood, J. A. C.: Dynamic behavior of natural rubber during large extensions, 1835
Scherer, A. E., and Kline, D. E.: Density–dose behavior of irradiated polytetrafluoroethylene, 341
Schmidt, G. A., and Gaulin, C. A.: Effects of interfaces on the thermal degradation of polymer–metal composites, 357
Schonfeld, S. E.: see Scelia, R. P.
Schonhorn, H., and Hansen, R. H.: Surface treatment of polymers for adhesive bonding, 1461
Schreiber, H. P., and Rudin, A.: Effect of carbon black on time dependence of the melt flow index, 1043
Schreiner, L.: see Lasch, M.
Schulken, R. M.: see Boy, R. E., Jr.
Schwarz, W. W., and Lowrey, R. D.: Silane polysulfide polymers as solid composite propellant binders, 553
Scott, R. A.: see Ford, R. W.
Semen, J.: see Snyder, W. H.
Sengupta, P. K.: see Ghosh, P.
Shaw, M. T., and Rodriguez, F.: Ultrasonic degradation of polysiloxane solutions, 991
Sherr, A. E., and Carlin, J.: Foams produced from sulfur dioxide and various polymers, 311
——, and Klein, H. G.: Phosphorus derivatives of methyl 2-(chloromethyl)acrylate, 1431
Shiota, T., Goto, Y., and Hayashi, K.: Ionic graft copolymerization. I. Homopolymerization of β-propiolactone by sodium acetate catalyst, 753
——, ——, and ——: Ionic graft copolymerization. II. Graft copolymerization of β-propiolactone onto acrylonitrile–sodium acrylate copolymer, 773
——, ——, ——, and Okamura, S.: Ionic graft copolymerization. III. Graft copolymerization of β-propiolactone onto polyacrylonitrile containing diketene units, 791
Shlyakhter, R. A., Ehrenburg, E. G., Nassonowa, T. P., and Piskarewa, E. P.: Molecular weight distribution in disulfide polymers, 567
Simms, B. B.: see Delman, A. D.
Sircar, A. K.: see Chakravarty, S. N.
——, King, W. D., and Conrad, C. M.: Supramolecular structure of propionylated cotton cellulose, 1951
——, Stanonis, D. J., and Conrad, C. M.: Cellulose propionylpropionate as a side product in the reaction of cotton cellulose with propionyl chloride, 1683
Skinner, T. D.: see Porter, M.
Slabaugh, W. H., and Kennedy, G. H.: Interaction of CO_2 with a series of detached organic films, 179
Slonaker, D. F.: see Combs, R. L.
Smith, D. A.: see Keenan, M. A.
Smith, T. G.: see Robeson, L. M.
Smith, W. N.: Mathematical analysis of gel permeation chromatography data, 639
Snyder, W. H., Wilson, C. E., Newman, G. V., and Semen, J.: Investigation of fast-setting acrylic adhesives for bonding attachments to human tooth surfaces, 1509
Soignet, D. M., Benerito, R. R., and McKelvey, J. B.: Diethylaminoethyl cellulose–epoxide reactions, 1155
Solomon, D. H., Loft, B. C., and Swift, J. D.: Changes in the reactivity of functional groups during polyesterification: A new approach to polymerization in fatty-acid-modified polyesters (alkyd resins), 1593
——, and Swift, J. D.: Reactions catalyzed by minerals. Part II. Chain termination in free-radical polymerizations, 2567

Solomon, O. F., Corciovei, M. G., and Tararescu, V.: Polymerization of asymmetric tetrafunctional monomers. I. The study of radical bulk polymerization of acrylic and methacrylic esters of 2-allylphenol, 1631
Southerland, C. F.: see Feist, W. C.
Stanonis, D. J.: see Arthur, J. C. Jr.
——: see Sircar, A. K.
——, King, W. D., Harbrink, P., and Conrad, C. M.: Certain fine structure and thermal properties of benzhydrylated cotton cellulose, 817
Steg, I., and Ishai, O.: Physical characteristics of plasticized epoxy system in the post-yield stage, 2303
Stein, A. A.: see Delman, A. D.
Sterling, C.: see Morsi, M. K. S.
Stryker, H. K., Mantell, G. J., and Helin, A. F.: Emulsion polymerization of ethylene. V. Kinetics and mechanism, 1
Surland, C. C.: Compressibility of elastomers with crystalline fillers and microvoid inhomogeneities related to various empirical equations of state for liquids and solids, 1227
Swift, J. D.: see Solomon, D. H.
Szymanski, H. A., and Yelin, R.: Reaction of α-cellulose with $SBCl_3$–KOH–$AsCl_3$, 2467
Tagami, M.: see Lonsdale, H. K.
Takao, S.: see Hayahara, T.
Tamai, Y., and Tanaka, S.: Contact angle characteristics and breaking strength of paint plastic film, 297
Tamblyn, J. W.: see Boy, R. E., Jr.
Tanaka, S.: see Tamai, Y.
Tanaka, Y. and Kakiuchi, H.: Epoxy resins from substituted benzoic acids–formaldehyde resins, 1345
Tararescu, V.: see Solomon, O. F.
Tarkow, H.: see Feist, W. C.
Thompson, K. C.: on the complex Poisson's ratio of a urethane rubber compound (*erratum*), 155
Tiller, R.: see Bell, C. L. M.
Tobolsky, A. V.: see Cooper, S. L.
——: see Nakamura, S.
——: see Ward, T. C.
Toggenburger, R., Newman, S., and Trementozzi, Q. A.: Melt flow and strength of branched styrene copolymers, 103
Tokita, N.: see White, J. L.
Tomic, E. A.: $H_2\{C_6H_4(COO)_2 \cdot [(CH_3)_2SO]_2\}$, 2397
Tomlinson, J. N., and Kline, D. E.: Effect of γ-radiation on the thermal conductivity of polypropylene, 1931
Tonkyn, R. G., and Wynstra, J.: The reactions of piperidine and diethylamine with epichlorohydrin, 145
Toosi, M. T. A.: see Gardner, D. G.
Tordella, J. P., and Wilkens, J. B.: Comments on a proposed mechanism of the departure from steady laminar flow in molten polymers, 2590
Traylor, P. A.: see Keskkula, H.
Treadway, B. R.: see Parker, P. H., Jr.
Trementozzi, Q. A.: see Toggenburger, R.
Trischler, F. D., Kjoller, K. J., and Levine, H. H.: Aliphatic heterocyclic polymers, 1325
Tsukamoto, H.: see Nishi, M.
Uchida, K.: see Motoyama, Y.
Václavek, V.: Regulation of molecular weight of styrene–butadiene rubber. I. Choice of regulator from the homologous series of xanthogen disulfides, 1881
——: Regulation of molecular weight of styrene–butadiene rubber. II. Influence of variation of polymerization recipe on the regulating efficiency of diisopropyl xanthogen disulfide, 1893
——: Regulation of molecular weight of styrene–butadiene rubber. III. Choice of regulator from the homologous series of aliphatic mercaptans, 1903
Vandegaer, J. E., and Douglas, D. G., Jr.: Radical concentration in polymerizations, 1079
Vincent, G. G.: Bonding polyethylene to metals, 1553
Viswanathan, A.: Fiber structures: A fresh look from metallography, 1027
Volman, D. H.: see Morsi, M. K. S.
Wada, Y., and Kasahara, T.: Relation between impact strength and dynamic mechanical properties of plastics, 1661
Wakelyn, N. T.: Contribution to the problem of crystallinity determination in poly(ethylene terephthalate), 2399

Ward, T. C., and Tobolsky, A. V.: Viscoelastic study of ionomers, 2403
Warwicker, J. O., and Wright, A. C.: Function of sheets of cellulose chains in swelling reactions on cellulose, 659
Watt, I. C.: see Leeder, J. D.
Weemes, D. A.: see Coover, H. W., Jr.
Wheelans, M. A.: see Porter, M.
Whitaker, H. L., and Griskey, R. G.: A generalized equation of state for polymers, 1001
White, J. L., and Tokita, N.: Elastomer processing and application of rheological fundamentals, 321
Whitman, R. D.: see Kuryla, W. C.
Wilkens, J. B.: see Tordella, J. P.
Wilson, C. E.: see Snyder, W. H.
Wlodarski, G.: see Balcerzyk, E.
Wright, W. W.: see Dine-Hart, R. A.
——: see Lancaster, J. M.
Wyman, D. P.: Method for separating intramolecular and intermolecular interactions which influence polymer glass temperatures, 1439
Wynstra, J.: see Tonkyn, R. G.
Yelin, R.: see Szymanski, H. A.
Zapas, L. J.: see Marans, N. S.
Zeigerson, E.: see de Körösy, F.
Zilio-Grandi, F.: see Pezzin, G.
Zorll, U.: A simple theory of filler reinforcement in elastomers subjected to shear (*erratum*), 603

SUBJECT INDEX, VOLUME 11

ABS plastics, environmental stability of, 1731
Acrylic adhesives, fast-setting, for bonding attachments to human tooth surfaces, investigation of, 1509
Acrylic and methacrylic esters of 2-allylphenol, radical bulk polymerization of, 1631
Acrylonitrile, copolymerization of gelatinized wheat starch with, 457
ESR study of post-irradiation reactions of cellulose and, 1139
Acrylonitrile copolymers, elastic behavior of concentrated solutions of, 735
Acrylonitrile–sodium acrylate copolymer, graft copolymerization of β-propiolactone onto, 773
Acrylonitrile–vinyl acetate copolymer solutions, reversible gelation of, 439, 1719
Adherent films of poly-*p*-xylylenes on aluminum by electrolysis, preparation of, 1209
Adhesion, adhesive–substrate compatibility in, 2311
Adhesive bonds, structural, mode of failure in, 983
surface treatment of polymers for, 1461
Adhesives, cryogenic, evaluation of polyglycidol esters as, 465
-fast-setting acrylic, for bonding attachments to human tooth surfaces, investigation of, 1509
polyisocyanurate, 811
Adhesive–substrate compatibility in adhesion, 2311
Agents organiques, étude de l'étirage a froid des fibres de polymères synthétiques dans, 871
Aging, oxidative, of natural rubber vulcanizates, 1289, 2201
Aliphatic heterocyclic polymers, 1325
Aliphatic mercaptans, choice of regulator from homologous series of, 1903
Alkaline degradation of cotton hydrocellulose, kinetic study on, 587
Alkaline roasting, crosslinking of starch by, 1273
Alkali solubility of carboxylated polymer emulsions, 1963
Alkylaluminum–Lewis base complexes as initiators of vinyl polymerization, 73
Alkyl crotonates, secondary, and related monomers, polymers of, 1797
2-Allylphenol, acrylic and methacrylic esters of, radical bulk polymerization of, 1631
Amorphous and crystalline polymers, conditions of spherulite formation in mixtures of, 499
Amylose films, plasticized, viscoelastic properties of, 1371
Anion exchangers, cellulose, quaternary, epichlorohydrin–triethanolamine reaction in preparation of, 1693
Anionic polymerization of ε-caprolactam, effects of cocatalyst structure on, 1299
Anomalous depression of rubbery modulus through crosslinking, 1361
Antiplasticizable polymers, characteristics and properties of, 227
Antiplasticization, 211, 227
Antiplasticizers, characteristics of, 211
Aqueous peroxydisulfate, crosslining of silk fibroin by, 719
Aromatic groups, effect of, on localization of high energy in cellulose, 1129
Aromatic polyimides, preparation and fabrication of, 609
Asymmetric tetrafunctional monomers, 1631
Autohesion of raw SBR samples, kinetic analysis of, 1755
Azobisisobutyronitrile, 2097
Balance-type stress relaxation apparatus for chemical relaxation under liquid phase, 1613
Benzhydrylated cotton cellulose, fine structure and thermal properties of, 817
Benzoic acids–formaldehyde resins, substituted, epoxy resins from, 1345
Biaxial stretching, two-step, 1703
Binary systems, containing long chain compounds, polymerization in, 1101

radiation-induced solid-state polymerization in, 1101
radiation-induced solid-state polymerization of vinyl compounds in, 1117
Binders, solid composite propellant, silane polysulfide polymers as, 553
Bis[4(1-methyl-1,2-epoxyethyl)] derivates of phenyl ether, 1,4-diphenoxybenzene, and bis(4-phenoxyphenyl) ether, 2029
Bis(4-phenoxyphenyl) ether, bis[4(1-methyl-1,2-epoxyethyl)] derivates of, 2029
Block copolymers, organophosphorus polyurethane, 2295
Block and random copolymers of butadiene and styrene, 1581, 2121
B pattern starch, sorption of water vapor by, 1217
Branched styrene copolymers, melt flow and strength of, 103
Breaking strength of paint plastic film, contact angle characteristics and, 297
Bulk polymerization, radical, of acrylic and methacyrlic esters of 2-allylphenol, 1631
Butadiene and styrene, block and random copolymers of, 1581, 2121
Butadiene–styrene rubber, molecular weight of, 1881, 1893, 1903
Butane–ethane mixtures from polyethylene, desorption of, 2007
sec-Butanol-modified melamine–formaldehyde resin varnish, preparation of, 1251
Capillary dilatometer, modified, for polymerization, 1627
ϵ-Caprolactam, effects of cocatalyst structure on anionic polymerization of, 1299
Caprolactone polyesters and diamines, polyurethanes from, 2175
Carbon black, effect of, on time dependence of melt flow index, 1043
and polymer, mixing of, 389
Carboxylated polymer emuslions, alkali solubility of, 1963
Caro–ion Fe^{3+}, greffage par le systéme acide de, 425
Castor oil, elastomers from, 629
Cellular foam, simple microtome for sectioning, 921
Cellular silicone, load–deformation response of, 2070
Cellulose, and acrylonitrile, ESR study of post-irradiation reactions of, 1139
benzhydrylated cotton, fine structure and thermal properties of, 817
cotton, cellulose propionylpropionate as a side product in reaction of, with propionyl chloride, 1683
effect of aromatic groups on localization of high-energy in, 1129
function of sheets of cellulose chains in swelling reactions on, 659
methyl, nitration of, 727
radiation-induced graft polymerization of vinyl monomers to, by infrared spectroscopy, 901
radiation-induced reactions with, 839
Valonia, resistance of, to mercerization, 289
α-Cellulose, reaction with $SBCl_3$–KOH–$AsCl_3$, 2467
Cellulose acetate, permeation of water and sodium through, 2041
Cellulose acetate membranes, phenol transport in, 1807
Cellulose anion exchangers, quaternary, epichlorohydrin–triethanolamine reaction in preparation of, 1693
Cellulose chains, sheets of, in swelling reactions on cellulose, function of, 659
Cellulose esters, secondary, crystallinity in, 2453
Cellulose fibers, regenerated, infrared–deuteration of, 2083
Cellulose film, regenerated, microscopic study of fracture in, 1315
Cellulose–polyacrylonitrile copolymers, 901
Cellulose–poly(méthacrylate de méthyle), copolyméres de, synthèse et caractérisation, 425
Cellulose propionylpropionate as a side product in reaction of cotton cellulose with propionyl chloride, 1683
Cellulose reactions, heterogeneous, kinetics of, 1387
Ceric ion method, graft copolymerization onto protein by, 1529
Chain modifiers, influence of, on copolymer composition, 457
Chain termination in free-radical polymerizations, 2567
Clay surfaces, propagation of vinyl polymers on, 23
CO_2, interaction of, with a series of detached organic films, 179

Coatings, unsaturated polyester, viscoelastic investigation on cure of, 575
Cocatalyst structure, effects of, on the anionic polymerization of ε-caprolactam, 1299
Colloidal macromolecular phenomena, 481
Complexes, polyelectrolyte, 1991
Composite propellant binders, solid, silane polysulfide polymers as, 553
Composites, polymer–metal, effects of interfaces on thermal degradation of, 357
Compressibility of elastomers with crystalline fillers and microvoid inhomogeneities related to various empirical equations of state for liquids and solids, 1227
Compression, tension, and flexure, delayed yielding of epoxy resin under, 963
Concentrated solutions of acrylonitrile copolymers, elastic behavior of, 735
Condensation polymers, molten, diffusion of dissolved gases in, 2587
Constant strain rate, behavior under, 963
Contact angle characteristics and breaking strength of paint plastic film, 297
Cotton, crosslinking of, with formaldehyde in phosphoric acid, 2577
Cotton cellulose, benzhydrylated, fine structure and thermal properties of, 817
  cellulose propionylpropionate as a side product in reaction of, with propionyl chloride, 1683
Cotton hydrocellulose, kinetic study on alkaline degradation of, 587
Coulter counter, 1855
Creep behavior, uniaxial, of polypropylene foam, statistical description of, 1775
Crosslinking, anomalous depression of rubbery modulus through, 1361
  chemical, degree of, of natural rubber gum vulcanizate networks, 2215
  of cotton with formaldehyde in phosphoric acid, 2577
  of silk fibroin by aqueous peroxydisulfate, 719
  of starch by alkaline roasting, 1283
Crosslinking agents, multiple, mechanical properties of an epoxy resin system cured with, 171
Crotonates, secondary alkyl, and related monomers, polymers of, 1797
Cryogenic adhesives, evaluation of polyglycidol esters as, 465
Crystalline and amorphous polymers, conditions of spherulite formation in mixtures of, 499
Crystalline fillers and microvoid inhomogeneities related to various empirical equations of state for liquids and solids, compressibility of elastomers with, 1127
Crystallinity, determination of, in poly(ethylene terephthalate), 2399
  and nitric acid digestion of ethylene–vinyl acetate copolymers, 2001
  (physical orientation) in PVC, DTA evidence for, 1189
  in secondary cellulose esters, 2453
Crystallite orientation in jute and mesta fibers under different moisture conditions, 2021
Crystallization, polypropylene, heterogeneous nucleating agents for, 673
Crystallization measurements, isothermal, on poly(ethylene terephthalate) by differential enthalpic analysis, 2343
Cumulative damage, law of, 925
Cure, early stages of, of a polyester resin, Farol-Weissenberg rheogoniometer to follow, 2543
  of unsaturated polyester, infrared study of, 1055
  of unsaturated polyester coatings, viscoelastic investigation on, 575
Curing of resole-type phenol–formaldehyde resin, 85
  by DTA and infrared spectroscopy, kinetics of formation of dibenzyl ether linkage during, 95
N-Cyclohexylbenzothiazole-2-sulfenamide-accelerated natural rubber–sulfur system, 2255
N-Cyclohexylbenzothiazole-2-sulfenamide-accelerated sulfur vulcanization of natural rubber at 140–180°C. and of synthetic *cis*-1,4-polyisoprene at 140°C., 2271
Decomposition, thermal, of additive polymerization initiators, 2097
  thermal, of polymerization initiators, determination of rates of, with a differential scanning calorimeter, 1617

Deformation–load response of cellular silicone, 2070
Deformation of nylon 6, effect of water on the mechanism of, 1483
Degradation, alkaline, of cotton hydrocellulose, kinetic study on, 587
polymer, 335, 1419
Teflon, from linearized differential TGA traces, estimation of kinetic parameters during, 699
thermal, of epoxide resins, 1009
thermal, in oxygen of polymers with aromatic rings in the chain, 1641
of polymer–metal composites, effects of interfaces on, 357
ultrasonic, of polysiloxane solutions, 991
Delayed yielding of epoxy resin under tension, compression, and flexure, 963
Density, index of refraction, and dielectric constant of poly(methyl methacrylate), radiation-induced changes in, 1065
Density–dose behavior of irradiated polytetrafluoroethylene, 341
Depression, anomalous, of rubbery modulus through crosslinking, 1361
Desorption of ethane–butane mixtures from polyethylene, 2007
Detached organic films, interaction of CO_2 with a series of, 179
Deuteration–infrared of regenerated cellulose fibers, 2083
Diacid chlorides and diisocyanates, modification of nylon 66 with, 2473, 2485
Diamines and polyesters, caprolactone, polyurethanes from, 2175
Dibenzyl ether linkage during curing of resole-type phenol–formaldehyde resin by DTA and infrared spectroscopy, kinetics of formation of, 95
Dichroism, of ideally oriented polymer chain, 2507
infrared, orientation factor of polypropylene film by, 2515
and over-dyeing phenomenon of dyed polymer, 2533
Dicumyl peroxide and sulfur vulcanization systems, sulfenamide-accelerated, 2285
Dielectric behavior of polar high polymers at ultra-high frequencies (microwaves), 527
Dielectric constant, density, and index of refraction of poly(methyl methacrylate), radiation-induced changes in, 1065
Diethylamine and piperidine, reactions of, with epichlorohydrin, 145
Diethylaminoethyl cellulose–epoxide reactions, 1155
Differential enthalpic analysis, isothermal crystallization measurements on poly(ethylene terephthalate) by, 2343
Differential scanning calorimeter, determination of rates of thermal decomposition of polymerization initiators with, 1617
Differential TGA traces, linearized, estimation of kinetic parameters during Teflon degradation from, 699
Differential thermal analysis, 1449
evidence for physical orientation (crystallinity) in PVC by, 1189
and infrared spectroscopy, kinetics of formation of dibenzyl ether linkage during curing of resole-type phenol–formaldehyde resin by, 95
linearized traces, estimation of kinetic parameters during pyrolysis from, 161
Diffraction, x-ray, and electron microscopy of the microstructure of permselective membranes from polyethylene, 909
Diffusion, of dissolved gases in molten condensation polymers, 2587
plasticizer, as the rate determining step in dry blending of poly(vinyl chloride), 193
Digestion, nitric acid, and crystallinity of ethylene–vinyl acetate copolymers, 2001
Diisocyanates and diacid chlorides, modification of nylon 66 with, 2473, 2485
Diisopropyl xanthogen disulfide, regulating efficiency of, 1893
Diketene units, graft copolymerization of β-propiolactone onto polyacrylonitrile containing, 791
Dilatometer, modified capillary, for polymerization, 1627
Dilute solution properties of hydroxyethyl starch, 1941
Dimethyl-*m*-carboranyl–dimethylsiloxane copolymers, thermal behavior of, 1979

Dimethylsiloxane–dimethyl-*m*-carboranyl copolymers, thermal behavior of, 1979
1,4-Diphenoxybenzene, bis[4(1-methyl-1,2-epoxyethyl)]derivates of, 2029
Dip technique, water permeabilities of Parlodion membranes formed by, 1737
Disulfide polymers, molecular weight distribution in, 567
Dose and dose rate studies involving copolymerization with monomers in methanol, 839
Dry blending of poly(vinyl chloride), plasticizer diffusion as rate-determining step in, 193
Dry spinning of fibers, mass transfer during, 2417
Dyed polymer, over-dyeing phenomenon and dichroism of, 2533
Dynamic behavior of natural rubber during large extensions, 1835
Dynamic-mechanical properties and impact strength of plastics, 1661
Dynamic-mechanical study of secondary transition of poly(vinyl chloride), 2553
Dynamic properties, and glassy transition temperatures, 1581
of PBNA–natural rubber vulcanizates, 383
Elastic behavior of concentrated solutions of acrylonitrile copolymers, 735
Elastomer processing and application of rheological fundamentals, 321
Elastomers, from castor oil, 629
compressibility of, with crystalline fillers and microvoid inhomogeneities related to various empirical equations of state for liquids and solids, 1227
photolyzed, characterization of, 245
polyurethane, from post-grafted polymer–polyol systems, 133
Electrolysis, preparation of adherent films of poly-*p*-xylylenes on aluminum by, 1209
Electron microscope, 1855
Electron microscopy and x-ray diffraction of the microstructure of permselective membranes from polyethylene, 909
Emulsion, carboxylated polymer, alkali solubility of, 1963
inverted, copolymerization of unsaturated polyester with styrene in, 57
separation of water-soluble polymer from, by gel filtration, 2331
Emulsion polymerization of ethylene, 1
Enthalpic analysis, differential, isothermal crystallization measurements on poly(ethylene terephthalate) by, 2343
Environmental hydrogen pressure, effect of, on hydrogen yield from x-irradiated polyethylenes, 515
Environmental stability of ABS plastics, 1731
Environment-influenced surface layer, and macrostructure in epoxy polymers, 949
in polymers, 1495
Epichlorohydrin, reactions of piperidine and diethylamine with, 145
Epichlorohydrin–triethanolamine reaction in preparation of quaternary cellulose anion exchangers, 1693
Epoxide resins, thermal degradation of, 1009
Epoxy polymers, macrostructure and environment-influenced surface layer in, 949
Epoxy prepolymers, synthesis and polymerization of tris(alkylamino)-silanes with, 2109
Epoxy resin, delayed yielding of, 1863
from substituted benzoic acids–formaldehyde resins, 1345
under tension, compression, and flexure, delayed yielding of, 963
TiO_2-filled crosslinked, from 20–90°C., dynamic mechanical properties of, 1475
Epoxy resin system, cured with multiple crosslinking agents, mechanical properties of, 171
plasticized, in post-yield stage, 2303
Equation of state, generalized, for polymers, 1001
ESR study of post-irradiation reactions of cellulose and acrylonitrile, 1139
Esters, polyglycidyl, as cryogenic adhesives, evaluation of, 465
secondary cellulose, crystallinity in, 2453
Ethane–butane mixtures from polyethylene, desorption of, 2007

Ether linkage, dibenzyl, during curing of resole-type phenol–formaldehyde resin by DTA and infrared spectroscopy, kinetics of formation of, 95
Ethylene, emulsion polymerization of, 1
Ethylene sulfide, polymer of, and its block copolymer with styrene, morphology of, 1179
Ethylene–vinyl acetate copolymers, crystallinity and nitric acid digestion of, 2001
Failure, mode of, in structural adhesive bonds, 983
Farol-Weissenberg rheogoniometer to follow early stages of cure of a polyester resin, 2543
Fast-setting acrylic adhesives for bonding attachments to human tooth surfaces, investigation of, 1509
Fatigue under complicated load histories, 925
Fatty-acid-modified polyesters (alkyd resins), polymerization in, 1593
Fibers, jute and mesta, crystallite orientation in, under different moisture conditions, 2021
mass transfer during dry spinning of, 2417
polyacrylonitrile, thermal contraction of, change of orientation by, 2525
wool, graft copolymerization of vinyl monomers in, 115
wool, kinetics of graft copolymerization of methyl methacrylate in, 2427
Fiber structures, 1027
Fibres de polymères synthétiques dans les agents organiques, étude de l'étirage a froid, 871
Fibroin, silk, crosslinking of, by aqueous peroxydisulfate, 719
Fillers, crystalline, and microvoid inhomogeneities related to various empirical equations of state for liquids and solids, compressibility of elastomers with, 1227
Films, adherent, of poly-*p*-xylylenes on aluminum by electrolysis, preparation of, 1209
detached organic, interaction of CO_2 with a series of, 179
free, swelling of, photomicrographic determination of, 2075
optical evaluation of, by Moiré, 601
paint plastic, contact angle characteristics and breaking strength of, 297
plasticized amylose, viscoelastic properties of, 1371
polypropylene, orientation factor of, by infrared dichroism, 2515
polypropylene, stretching of, 1703
regenerated cellulose, microscopic study of fracture in, 1315
and sheet, plastic, transparency measurement of, 1915
Fine structure and thermal properties of benzhydrylated cotton cellulose, 817
Flexure, compression, and tension, delayed yielding of epoxy resin under, 963
Flow behavior, oscillating, of high-density polyethylene melts, 687
Flow theory, generalized, 1033
Foam, cellular, simple microtome for sectioning, 921
polypropylene, statistical description of uniaxial creep behavior of, 1775
produced from sulfur dioxide and various polymers, 311
Formaldehyde, crosslinking cotton with, in phosphoric acid, 2577
Fractionation, large-scale, of poly(vinyl chloride) and characterization of the fractions, 1539
of polymers on a preparative scale by precipitation chromatography, 2349
Fracture in regenerated cellulose film, microscopic study of, 1315
Free-radical concentration in polymerizations, 1079
Free-radical polymerizations, chain termination in, 2567
Free radicals attached to clay, polymerization of monomers initiated by, 23
Fusion curves of polyethylene, thermal history of, 2325
Gelatinized wheat starch, copolymerization of, with acrylonitrile, 457
Gelation, reversible, of acrylonitrile–vinyl acetate copolymer solutions, 439, 1719
Gel filtration, separation of water-soluble polymer from emulsion by, 2331
Gel permeation chromatography, basic, 1419
detecting low molecular weight homologs in poly(ethylene glycols) by, 149

mathematical analysis of data from, 639
practical applications of, of interest to the polymer chemist, 1333
use of porous glass as column packing agent for, 1851
Glass, porous, use of, as column packing agent for gel permeation chromatography, 1851
Glass transition temperatures, and dynamic properties, 1581
polymer, intramolecular and intermolecular interactions which influence, 1439
preparation, and σ relaxation effect of poly(vinyl isonicotinate), 1173
Graft copolymerization, ionic, 753, 773, 791
of methyl methacrylate and natural rubber, 1603
of methyl methacrylate in wool fibers, kinetics of, 2427
of β-propiolactone onto acrylonitrile–sodium acrylate copolymer, 773
of β-propiolactone onto polyacrylonitrile containing diketene units, 791
onto protein by the ceric ion method, 1529
of vinyl monomers in wool fibers, 115
Graft copolymers of starch, 457
Grafting, radioinduced, preparation of permselective membranes by, 1563
Graft polymerization, radiation-induced, of vinyl monomers to cellulose by infrared spectroscopy, 901
Greffage par le système acide de caro–ion Fe^{2+}, 425
$H_2\{C_6H_4(COO)_2\cdot[(CH_3)_2SO]_2\}$, 2397
Heterocyclic polymers, aliphatic, 1325
Heterogeneous cellulose reactions, kinetics of, 1387
Heterogeneous copolymers, mounting media for examining, with the phase microscope, 2037
Heterogeneous nucleating agents for polypropylene crystallization, 673
Homologous series, of aliphatic mercaptans, choice of regulator from, 1903
of xanthogen disulfides, choice of regulator from, 1881
Homologs, low molecular weight, in poly(ethylene glycols) by gel permeation chromatography, 149
Homopolymerization of β-propiolactone by sodium acetate catalyst, 753
Human tooth surfaces, investigation of fast-setting acrylic adhesives for bonding attachments to, 1509
Humidity, effect of, on the tensile properties of TiO_2-filled poly(vinyl acetate), 1259
Hydrocellulose, cotton, kinetic study on alkaline degradation of, 587
Hydrogel, propylene glycol monoacrylate, effect of temperature on permeation of water through, 407
Hydrogen yield from x-irradiated polyethylenes, effect of environmental hydrogen pressure on, 515
Hydroxyethyl starch, dilute solution properties of, 1941
I.C.I.–Joyce, Loebl disk centrifuge, 1855
Impact strength and dynamic mechanical properties of plastics, 1661
Index of refraction, density, and dielectric constant of poly(methyl methacrylate), radiation-induced changes in, 1065
Infrared–deuteration of regenerated cellulose fibers, 2083
Infrared dichroism, orientation factor of polypropylene film by, 2515
Infrared spectroscopy, kinetics of formation of dibenzyl ether linkage during curing of resole-type phenol–formaldehyde resin by DTA and, 95
radiation-induced graft polymerization of vinyl monomers to cellulose by, 901
transitions of polytetrafluoroethylene at about 90 and 130°C. by x-ray diffraction and, 953
Infrared study of the cure of unsaturated polyester, 1055
Inhomogeneities, microvoid, and crystalline fillers related to various empirical equations of state for liquids and solids, compressibility of elastomers with, 1227
Initiators, additive polymerization, thermal decomposition of, 2097
of vinyl polymerization, alkylaluminum–Lewis base complexes as, 73
Interfaces, effects of, on the thermal degradation of polymer–metal composites, 357
Intermolecular and intramolecular interactions which influence polymer glass temperatures, method for separating, 1439

Inverted emulsion, copolymerization of unsaturated polyester with styrene in, 57
Ionic graft copolymerization, 753, 773, 791
Ionomers, viscoelastic study of, 2403
Irradiated polypropylene, molecular weight changes in, 705
Irradiated polytetrafluoroethylene, density–dose behavior of, 341
Irradiation, sonic, of polyisobutene, changes in molecular weight distributions during, 335
cis-trans-Isomerized natural rubber and natural rubber, vulcanization of, with sulfenamide-accelerated sulfur and dicumyl peroxide vulcanization systems, 2285
Isothermal crystallization measurements on poly(ethylene terephthalate) by differential enthalpic analysis, 2343
Jute and mesta fibers, crystallite orientation in, under different moisture conditions, 2021
Kinetic analysis of autohesion of raw SBR samples, 1755
Kinetic parameters, estimation of, during pyrolysis from linearized DTA traces, 161
  estimation of, during Teflon degradation from linearized differential TGA traces, 699
Kinetics, of formation of dibenzyl ether linkage during curing of resole-type phenol–formaldehyde resin by DTA and infrared spectroscopy, 95
  of graft copolymerization of methyl methacrylate in wool fibers, 2427
  of heterogeneous cellulose reactions, 1387
  of styrene copolymerization in methanol, 859
Kinetic study on alkaline degradation of cotton hydrocellulose, 587
Kunststoff als optischem Medium, Physikalische Messungen an einem, 369
K_Θ values of polymer solutions, estimation of, 1409
Laminar flow, steady, in molten polymers, proposed mechanism of departure from, 2590
Large-scale fractionation of poly(vinyl chloride) and characterization of the fractions, 1539
Latex powder, polymer, size analysis of, 1855
Light-scattering data, programmed polymer, 2159
Lignin, solution properties of, 2381
Linearized differential TGA traces, estimation of kinetic parameters during Teflon degradation from, 699
Linearized DTA traces, estimation of kinetic parameters during pyrolysis from, 161
Liquids and solids, empirical equations of state for, compressibility of elastomers with crystalline fillers and microvoid inhomogeneities related to various, 1227
Load–deformation response of cellular silicone, 2070
Load histories, complicated, fatigue under, 925
Localization of high energy in cellulose, effect of aromatic groups on, 1129
Macrostructure and environment-influenced surface layer in epoxy polymers, 949
Mass transfer during dry spinning of fibers, 2417
Mathematical analysis of gel permeation chromatography data, 639
Maxwell orthogonal rheometer, analysis of, 127
Mechanical properties, dynamic, effect of thermal history of polymers on, 1199
  dynamic, of a TiO_2-filled crosslinked epoxy resin from 20–90°C., 1475
  of an epoxy resin system cured with multiple crosslinking agents, 171
  of polymers, prediction of, 2443
Mechanical property data, propellant, treatment of, by reaction rate analysis, 2067
Melt flow, 2121
  and strength of branched styrene copolymers, 103
Melt flow index, effect of carbon black on time dependence of, 1043
Melting of 66 nylon, 1449
Melts, high-density polyethylene, oscillating flow behavior of, 687
Melt spinning, studies on, 251
Melt strength equation, polyethylene, derivation and correction of, 747
Membrane potentials of thin nitrocellulose membranes, 829

Membranes, cellulose acetate, phenol transport in, 1807
Parlodion, formed by the dip technique, water permeabilities of, 1737
permselective, from polyethylene, electron microscopy and x-ray diffraction of microstructure of, 909
permselective, preparation of, radiation-induced grafting, 1563
thin, 1737
thin nitrocellulose, membrane potentials of, 829
ultrathin reverse osmosis, 2143
Mercaptans, aliphatic, choice of regulator from homologous series of, 1903
2-Mercaptobenzothiazole-accelerated natural rubber–sulfur system, 2227
Mercerization, resistance of *Valonia* cellulose to, 289
Mesta and jute fibers, crystallite orientation in, under different moisture conditions, 2021
Metallography, 1027
Metals, bonding polyethylene to, 1553
Methacrylic and acrylic esters of 2-allylphenol, radical bulk polymerization of, 1631
Methanol, dose and dose rate studies involving copolymerization with monomers in, 839
kinetics of styrene copolymerization in, 859
Methyl cellulose, nitration of, 727
Methyl 2-(chloromethyl)acrylate, phosphorous derivatives of, 1431
Methyl methacrylate, graft copolymerization of, in wool fibers, kinetics of, 2427
and natural rubber, graft copolymerization of, 1603
Microcrystals, novel, of polymers, 481
Microscope, phase, mounting media for examining heterogeneous copolymers with, 2037
Microscopic study of fracture in regenerated cellulose film, 1315
Microstructure, of permselective membranes made from polyethylene, electron microscopy and x-ray diffraction of, 909
of rubber-reinforced polystyrenes, 2361
Microtome, simple, for sectioning cellular foam, 921
Microvoid inhomogeneities and crystalline fillers related to various empirical equations of state for liquids and solids, compressibility of elastomers with, 1227
Minerals, reactions catalyzed by, 2567
Model compounds related to thermostable polymers by pyrolysis-gas chromatography, thermal stability of, 305
Moiré, optical evaluation of films by, 601
Moisture conditions, crystallite orientation in jute and mesta fibers under, 2021
Molecular weight changes in irradiated polypropylene, 705
Molecular weight determinations and thermodynamic properties, 2381
Molecular weight distribution, in disulfide polymers, 567
during sonic irradiation of polyisobutene, changes in, 335
effect of, on viscosity of polymeric fluids, 417
Molecular weight of styrene–butadiene rubber, 1881, 1893, 1903
Molten polymers, proposed mechanism of departure from steady laminar flow in, 2590
Morphology of polymer of ethylene sulfide and its block copolymer with styrene, 1179
Mounting media for examining heterogeneous copolymers with the phase microscope, 2037
$[\eta]$–M relationship, practical evaluation of, 1409, 2189
Multiple crosslinking agents, mechanical properties of an epoxy resin system cured with, 171
Natural rubber, anomalous tensile behavior of, 1825
dynamic behavior of, during large extensions, 1835
graft copolymerization of methyl methacrylate and, 1603
and *cis-trans*-isomerized natural rubber, vulcanization of, with sulfenamide-accelerated sulfur and dicymyl peroxide vulcanization systems, 2285
sulfur vulcanization of, at 140–180°C. and of synthetic *cis*-1,4-polyisoprene at 140°C., *N*-cyclohexylbenzothiazole-2-sulfenamide-accelerated, 2271

Natural rubber gum vulcanizate networks, degree of chemical crosslinking of, 2215
Natural rubber–sulfur system, *N*-cyclohexylbenzothiazole-2-sulfenamide-accelerated, 2255
2-mercaptobenzothiazole-accelerated, 2227
Natural rubber vulcanizates, oxidative aging of, 1289, 2201
stress softening in, 1825
Nitration of methyl cellulose, 727
Nitric acid digestion and crystallinity of ethylene–vinyl acetate copolymers, 2001
Nitrocellulose membranes, thin, membrane potentials of, 829
Nucleating agents, heterogeneous, for polypropylene crystallization, 673
Nylon 6, effect of water on the mechanism of deformation of, 1483
Nylon 66, melting of, 1449
modification of, with diisocyanates and diacid chlorides, 2473, 2485
Oil well sand consolidation, 1667
Ophthalmology, potential uses in, and permeability to water, of polyelectrolyte complexes, 1991
Optical evaluation of films by Moiré, 601
Organic films, detached, interaction of CO_2 with a series of, 179
Organophosphorus polyurethane block copolymers, 2295
Orientation, change of, by thermal contraction of polyacrylonitrile fiber, 2525
Orientation factor of polypropylene film by infrared dichroism, 2515
Oscillating flow behavior of high-density polyethylene melts, 687
Over-dyeing phenomenon and dichroism of dyed polymer, 2533
Oxidation, thermal, and photo-oxidation of poly(2,6-dimethyl-1,4-phenylene oxide), 137
Oxidative aging of natural rubber vulcanizates, 1289, 2201
Oxygen, thermal degradation in, of polymers with aromatic rings in the chain, 1641
Ozonolysis, structural characterization of natural and vulcanized rubber by, 37
Paint plastic film, contact angle characteristics and breaking strength of, 297
Parlodion membranes formed by the dip technique, water permeabilities of, 1737
PBNA–natural rubber vulcanizates, dynamic properties of, 383
Permeabilities, water, of Parlodion membranes formed by the dip technique, 1737
Permeability to water and potential uses in ophthalmology, of polyelectrolyte complexes, 1991
Permeation, of water and sodium chloride through cellulose acetate, 2041
of water through propylene glycol monacrylate hydrogel, effect of temperature on, 407
Permselective membranes, from polyethylene, electron microscopy and x-ray diffraction of microstructure of, 909
preparation of, by radioinduced grafting, 1563
Peroxide vulcanizates, scission of, 1289
Peroxydisulfate, aqueous, crosslinking of silk fibroin by, 719
Phase separation of clear polyblends, 2499
Phenol–formaldehyde resin, resole-type, curing of, 85
resole-type, by DTA and infrared spectroscopy, kinetics of formation of dibenzyl ether linkage during curing of, 95
Phenol transport in cellulose acetate membranes, 1807
Phenyl ether, bis[4(1-methyl-1,2-epoxyethyl)] derivates of, 2029
Phosphoric acid, crosslinking cotton with formaldehyde in, 2577
Phosphorous derivatives of methyl 2-(chloromethyl)acrylate, 1431
Photodegradation of poly(methyl methacrylate) in solution and effect of added solutes, 2373
Photolyzed elastomers, characterization of, 245
Photomicrographic determination of free film swelling, 2075
Photo-oxidation and thermal oxidation of poly(2,6-dimethyl-1,4-phenylene oxide), 137

Physikalische Messungen an einem Kunstoff als optischem medium, 369
Piperidine and diethylamine, reactions of, with epichlorohydrin, 145
Plasticized amylose films, viscoelastic properties of, 1371
Plasticized epoxy system in post-yield stage, 2303
Plasticizer diffusion as the rate-determining step in dry blending of poly(vinyl chloride), 193
Plastics, cellular, characterization of structure of, 2131
shear velocities in common, 1087
Polar high polymers at ultra-high frequencies (microwaves), dielectric behavior of, 527
Polyacrylonitrile containing diketene units, graft copolymerization of β-propiolactone onto, 791
Polyacrylonitrile fiber, thermal contraction of, change of orientation by, 2525
Polyblends, clear, phase separation of, 2499
Polycarbonate, effect of thermal pretreatment on the strength of, 1571
Poly(2,6-dimethyl-1,4-phenylene oxide), thermal oxidation and photo-oxidation of, 137
Polyelectrolyte complexes, 1991
Polyester, unsaturated, copolymerization of, with styrene in inverted emulsion, 57
unsaturated, infrared study of the cure of, 1055
Polyester coatings, unsaturated, viscoelastic investigation on cure of, 575
Polyesterification, changes in reactivity of functional groups during, 1593
Polyester resin, Farol-Weissenberg rheogoniometer to follow early stages of cure of, 2543
Polyesters (alkyd resins), fatty-acid-modified, polymerization in, 1593
Polyesters and diamines, caprolactone, polyurethanes from, 2175
Polyethylene, bonding, to metals, 1553
electron microscopy and x-ray diffraction of microstructure of permselective membranes from, 909
ethane–butane mixtures from, desorption of, 2007
thermal history of fusion curves of, 2325
x-irradiated, effect of environmental hydrogen pressure on hydrogen yield from, 515
Poly(ethylene glycols) detecting low molecular weight homologs in, by gel permeation chromatography, 149
Polyethylene melts, high-density, oscillating flow behavior of, 687
Polyethylene melt strength equation, derivation and correction of, 747
Poly(ethylene terephthalate), crystallinity determination in, 2399
isothermal crystallization measurements on, by differential enthalpic analysis, 2343
Polyglycidyl esters as cryogenic adhesives, evaluation of, 465
Polyimides, aromatic, preparation and fabrication of, 609
Polyisobutene, changes in molecular weight distributions during sonic irradiation of, 335
Polyisocyanurate adhesives, 811
cis-1,4-Polyisoprene, synthetic, *N*-cyclohexylbenzothiazole-2-sulfenamide-accelerated sulfur vulcanization of, 2271
Poly(methyl methacrylate), photodegradation of, in solution and effect of added solutes, 2373
radiation-induced changes in the index of refraction, density, and dielectric constant of, 1065
Polyolefin waxes, 1271
Polypropylene, crystallization of, heterogeneous nucleating agents for, 673
irradiated, molecular weight changes in, 705
thermal conductivity of, effect of γ-radiation on, 1931
Polypropylene film, orientation factor of, by infrared dichroism, 2515
stretching of, 1703
Polypropylene foam, statistical description of uniaxial creep behavior of, 1775
Polysiloxane solutions, ultrasonic degradation of, 991
Polystyrenes, rubber-reinforced, microstructure of, 2361
Polysulfide polymers, silane, as solid composite propellant binders, 553
Polytetrafluoroethylene, irradiated, density–dose behavior of, 342

at about 90 and 130°C., by x-ray diffraction and infrared spectra, transitions of, 953
Polyurethane block copolymers, organophosphorus, 2295
Polyurethane elastomers from post-grafted polymer–polyol systems, 133
Polyurethanes from caprolactone polyesters and diamines, 2175
Poly(vinyl acetate), TiO_2-filled, effect of humidity on tensile properties of, 1259
Poly(vinyl chloride), DTA evidence for physical orientation (crystallinity) in, 1189
dynamic-mechanical study of secondary transition of, 2553
large-scale fractionation of, and characterization of the fractions, 1539
plasticizer diffusion as the rate-determining step in dry blending of, 193
Poly(vinyl isonicotinate), preparation, glass transition temperature, and δ relaxation effect of, 1173
Poly-*p*-xylylenes on aluminum by electrolysis, preparation of adherent films of, 1209
Porous glass, use of, as column packing agent for gel permeation chromatography, 1851
Post-grafted polymer–polyol systems, polyurethane elastomers from, 133
Post-irradiation reactions of cellulose and acrylonitrile, ESR study of, 1139
Post-yield stage, plasticized epoxy system in, 2303
Precipitation chromatography, fractionation of polymers on a preparative scale by, 2349
Propellant binders, solid composite, silane polysulfide polymers as, 553
Propellant mechanical property data, treatment of, by reaction rate analysis, 2067
β-Propiolactone, graft copolymerization of, onto acrylonitrile–sodium acrylate copolymer, 773
graft copolymerization of, onto polyacrylonitrile containing diketene units, 791
homopolymerization of, by sodium acetate catalyst, 753
Propionylated cotton cellulose, supramolecular structure of, 1951
Propionyl chloride, cellulose propionylpropionate as a side product in reaction of cotton cellulose with, 1683
Propylene glycol monoacrylate hydrogel, effect of temperature on permeation of water through, 407
Protein, graft copolymerization onto, by the ceric ion method, 1529
Pyrolysis-gas chromatography, thermal stability of model compounds related to thermostable polymers by, 305
Pyrolysis from linearized DTA traces, estimation of kinetic parameters during, 161
γ-Radiation, effect of, on thermal conductivity of polypropylene, 1931
Radiation-induced changes in the index of refraction, density, and dielectric constant of poly(methyl methacrylate), 1065
Radiation-induced graft polymerization of vinyl monomers to cellulose by infrared spectroscopy, 901
Radiation-induced reactions with cellulose, 839
Radiation-induced solid-state polymerization, in binary systems, 1101
of vinyl compounds in binary systems, 1117
Radical bulk polymerization of acrylic and methacrylic esters of 2-allylphenol, 1631
Radioinduced grafting, preparation of permselective membranes by, 1563
Random and block copolymers of butadiene and styrene, 1581, 2121
Rate-determining step in dry blending of poly(vinyl chloride), plasticizer diffusion as, 193
Reaction rate analysis, treatment of propellant mechanical property data by, 2067
Regenerated cellulose film, microscopic study of fracture in, 1315
Regulating efficiency of diisopropyl xanthogen disulfide, 1893

Regulator, choice of, from homologous series of aliphatic mercaptans, 1903
choice of, from homologous series of xanthogen disulfides, 1881
Relaxation, chemical, under liquid phase, balance-type stress relaxation apparatus for, 1613
Relaxation apparatus, balance-type stress, for chemical relaxation under liquid phase, 1613
Resins, 1667
benzoic acid–formaldehyde, substituted, epoxy resins from, 1355
epoxide, thermal degradation of, 1009
epoxy, delayed yielding of, 1863
epoxy, from substituted benzoic acids–formaldehyde resins, 1345
under tension, compression, and flexure, delayed yielding of, 963
polyester, Farol-Weissenberg rheogoniometer to follow early stages of cure of, 2543
resole-type phenol–formaldehyde, curing of, 85
resole-type phenol–formaldehyde, by DTA and infrared spectroscopy, kinetics of formation of dibenzyl ether linkage during curing of, 95
TiO_2-filled crosslinked epoxy, from 20–90°C., dynamic mechanical properties of, 1475
Resin system, epoxy, cured with multiple crosslinking agents, mechanical properties of, 171
Resin varnish, *sec*-butanol-modified melamine–formaldehyde, preparation of, 1251
Resole-type phenol–formaldehyde resin, curing of, 85
by DTA and infrared spectroscopy, kinetics of formation of dibenzyl ether linkage during curing of, 95
Reverse osmosis membranes, ultrathin, 2143
Rheogoniometer, Farol-Weissenberg, to follow early stages of cure of a polyester resin, 2543
Rheological fundamentals, elastomer processing and application of, 321
Rheometer, Maxwell orthogonal, analysis of, 127
Roasting, alkaline, crosslinking of starch by, 1273
Rubber, natural and vulcanized, structural characterization of, by ozonolysis, 37
Rubber-reinforced polystyrenes, microstructure of, 2361
Rubbery modulus, anomalous depression of, through crosslinking, 1361
Salt rejection, theoretical, attainment of, 2143
Sand consolidation, oil well, 1667
$SBCl_3$–KOH–$AsCl_3$, reaction of α-cellulose with, 2467
Scission of peroxide vulcanizates, 1289
Secondary alkyl crotonates and related monomers, polymers of, 1797
Secondary cellulose esters, crystallinity in, 2453
Secondary transition of poly(vinyl chloride), dynamic-mechanical study of, 2553
Shear velocities in common plastics, 1087
Sheet and film, plastic, transparency measurement of, 1915
Sheets of cellulose chains in swelling reactions on cellulose, function of, 659
Silane polysulfide polymers as solid composite propellant binders, 553
Silicone, cellular, load–deformation response of, 2070
Silk fibroin, crosslinking of, by aqueous peroxydisulfate, 719
Size analysis of polymer latex powder, 1855
Sodium acetate catalyst, homopolymerization of β-propiolactone by, 753
Sodium and water, permeation of, through cellulose acetate, 2041
Solids and liquids, empirical equations of state for, compressibility of elastomers with crystalline fillers and microvoid inhomogeneities related to various, 1227
Solid-state polymerization, radiation-induced, in binary systems, 1101
radiation-induced, of vinyl compounds in binary systems, 1117
Solution properties of lignin, 2381
Solutions, acrylonitrile–vinyl acetate copolymer, reversible gelation of, 439
concentrated, of acrylonitrile copolymers, elastic behavior of, 735
photodegradation of poly(methyl methacrylate) in, and effect of added solutes, 2373

polymer, estimation of K_θ values of, 1409
polysiloxane, ultrasonic degradation of, 991
steady-state and transient, of fundamental equations, compared with experimental results, 251
Sonic irradiation of polyisobutene, changes in molecular weight distributions during, 335
Sorption of water vapor by B pattern starch, 1217
Spherulite formation in mixtures of crystalline and amorphous polymers, conditions of, 499
Stability, thermal, of model compounds related to thermostable polymers by pyrolysis-gas chromatography, 305
Starch, B pattern, sorption of water vapor by, 1217
crosslinking of, by alkaline roasting, 1273
gelatinized wheat, copolymerization of, with acrylonitrile, 457
graft copolymers of, 457
Statistical description of uniaxial creep behavior of polypropylene foam, 1775
Steady-state and transient solutions of fundamental equations compared with experimental results, 251
Stress relaxation apparatus, balance-type, for chemical relaxation under liquid phase, 1613
Stress softening in natural rubber vulcanizates, 1825
Stretching of polypropylene film, 1703
Structural adhesive bonds, mode of failure in, 983
Styrene, and butadiene, block and random copolymers of, 2121
copolymeriztion of, in methanol, kinetics of, 859
in inverted emulsion, copolymerization of unsaturated polyester with, 57
morphology of polymer of ethylene sulfide and its block copolymer with, 1179
Styrene–butadiene rubber, molecular weight of, 1881, 1893, 1903
raw, autohesion of, kinetic analysis of, 1755
Styrene copolymers, branched, melt flow and strength of, 103
Substrate–adhesive compatibility in adhesion, 2311
Sulfenamide-accelerated sulfur and dicumyl peroxide vulcanization systems, 2285
Sulfur and dicumyl peroxide vulcanization systems, sulfenamide-accelerated, 2285
Sulfur dioxide and various polymers, foams produced form, 311
Sulfur–natural rubber system, *N*-cyclohexylbenzothiazole-2-sulfenamide-accelerated, 2255
2-mercaptobenzothiazole-accelerated, 2227
Sulfur vulcanization of natural rubber at 140–180°C. and of synthetic *cis*-1,4-polyisoprene at 140°C., *N*-cyclohexylbenzothiazole-2-sulfenamide-accelerated, 2271
Supramolecular structure of propionylated cotton cellulose, 1951
Surface layer, environment-influenced, and macrostructure in epoxy polymers, 949
environment-influenced, in polymers, 1495
Surface treatment of polymers for adhesive bonding, 1461
Swelling reactions on cellulose, fraction of sheets of cellulose chains in, 659
Teflon degration from linearized differential TGA traces, estimation of kinetic parameters during, 699
Tensile behavior, anomalous, of natural rubber, 1825
of TiO_2-filled poly(vinyl acetate), effect of humidity on, 1259
Tensile strength of thermoplastics, 2443
Tension, compression, and flexure, delayed yielding of epoxy resin under, 963
Tetrafunctional monomers, asymmetric, 1631
TGA traces, linearized differential, estimation of kinetic parameters during Teflon degradation from, 699
Thermal behavior of dimethyl-*m*-carboranyl–dimethylsiloxane copolymers, 1979
Thermal conductivity of polypropylene, effect of γ-radiation on, 1931
Thermal contraction of polyacrylonitrile fiber, change of orientation by, 2525

Thermal decomposition, of additive polymerization initiators, 2097
of polymerization initiators, determination of rates of, with a differential scanning calorimeter, 1617
Thermal degradation, of epoxide resins, 1009
in oxygen of polymers with aromatic rings in the chain, 1641
of polymer–metal composites, effects of interfaces on, 357
Thermal history of fusion curves of polyethylene, 2325
Thermal oxidation and photo-oxidation of poly(2,6-dimethyl-1,4-phenylene oxide), 137
Thermal pretreatment, effect of, on the strength of polycarbonate, 1571
Thermal properties and fine structure of benzhydrylated cotton cellulose, 817
Thermal stability of model compounds related to thermostable polymers by pyrolysis-gas chromatography, 305
Thermodynamic properties and molecular weight determinations, 2381
Thermoplastics, tensile strength of, 2443
Thermostable polymers by pyrolysis-gas chromatography, thermal stability of model compounds related to, 305
Thin membranes, 1737
Time dependence of melt flow index, effect of carbon black on, 1043
TiO_2-filled crosslinked epoxy resin from 20–90°C., dynamic mechanical properties of, 1475
TiO_2-filled poly(vinyl acetate), effect of humidity on tensile properties of, 1259
Tooth surfaces, human, investigation of fast-setting acrylic adhesives for bonding attachments to, 1509
Traces, linearized DTA, estimation of kinetic parameters during pyrolysis from, 161
Transient and steady-state solutions of fundamental equations compared with experimental results, 251
Transparency measurement of plastic sheet and film, 1915
Triethanolamine–epichlorohydrin reaction in preparation of quaternary cellulose anion exchangers, 1693
Tris(alkylamino)silanes, synthesis and polymerization of, with epoxy prepolymers, 2109
Trommsdorff effect, 839
Ultra-high frequencies (microwaves), dielectric behavior of polar high polymers at, 527
Ultrasonic degradation of polysiloxane solutions, 991
Ultrasonic wave velocities in plastics as functions of temperature, experimental determination of, 1087
Ultrathin reverse osmosis membranes, 2143
Uniaxial creep behavior of polypropylene foam, statistical description of, 1775
Unsaturated polyester, copolymerization of, with styrene in inverted emulsion, 57
infrared study of the cure of, 1055
Unsaturated polyester coatings, viscoelastic investigation on cure of, 575
Valonia cellulose, resistance of, to mercerization, 289
Velocities, shear, in common plastics, 1087
ultrasonic wave, in plastics, as functions of temperature, experimental determination of, 1087
Vinyl acetate–acrylonitrile copolymer solutions, reversible gelation of, 1719
Vinyl acetate–ethylene copolymers, crystallinity and nitric acid digestion of, 2001
Vinyl compounds in binary systems, radiation-induced solid-state polymerization of, 1117
Vinyl monomers, radiation-induced graft polymerization of, to cellulose by infrared spectroscopy, 901
in wool fibers, graft copolymerization of, 115
Vinyl polymerization, alkylaluminum–Lewis base complexes as initiators of, 73
Vinyl polymers, on clay surfaces, propagation of, 23
effect of, on water absorption, 1649
Viscoelastic properties, of cure of unsaturated polyester coatings, 575
of ionomers, 2403
of plasticized amylose films, 1371

Vulcanizate networks, natural rubber gum, degree of chemical crosslinking of, 2215
Vulcanizates, natural rubber, oxidative aging of, 1289
natural rubber, oxidative aging of, 2201
stress softening in, 1825
PBNA–natural rubber, dynamic properties of, 383
peroxide, scission of, 1289
structural characterization of, 2215, 2227, 2255, 2271, 2285
Vulcanizate structure, effect of, 2201
Vulcanization of natural rubber and *cis-trans*-isomerized natural rubber with sulfenamide-accelerated sulfur and dicumyl peroxide vulcanization systems, 2285
Vulcanization systems, sulfur and dicymyl peroxide, sulfenamide-accelerated, 2285
Water, effect of, on the mechanism of deformation of nylon 6, 1483
permeability to, and potential uses in ophthalmology, of polyelectrolyte complexes, 1991
permeation of, through propylene glycol monacrylate hydrogel, effect of temperature on, 407
and sodium, permeation of, through cellulose acetate, 2041
Water absorption, effect of vinyl polymers on, 1649
Water permeabilities of Parlodion membranes formed by the dip technique, 1737
Water-soluble polymer, separation of, from emulsion by gel filtration, 2331
Water vapor, sorption of, by B pattern starch, 1217
Wave velocities, ultrasonic, in plastics, as functions of temperature, experimental determination of, 1087
Waxes, polyolefin, 1271
Wheat starch, gelatinized, copolymerization of, with acrylonitrile, 457
Wool fibers, graft copolymerization of vinyl monomers in, 115
kinetics of graft copolymerization of methyl methacrylate in, 2427
Wool–polymer systems, 1649
Xanthogen disulfides, homologous series of, choice of regulator from, 1881
X-irradiated polyethylenes, effect of environmental hydrogen pressure on hydrogen yield from, 515
X-ray diffraction, and electron microscopy of the microstructure of permselective membranes from polyethylene, 909
and infrared spectra, transitions of polytetrafluoroethylene at about 90 and 130°C. by, 953
Yielding, delayed, of epoxy resin, 1863
delayed, of epoxy resin under tension, compression, and flexure, 963